

PRESTO Fillers LG, LH, LF, LV, J and LH PLUS

Date 21.4.2008

Previous date: 31.3.2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Identification of the article**
1.1.1 Commercial Product Name
PRESTO Fillers LG, LH, LF, LV, J and LH PLUS
- 1.1.2 Product code**
001 6530, 001 6531, 001 6532, 001 6533, 001 6537 and 001 6547
- 1.2 Use of the Substance/Preparation**
1.2.1 Intended use
Painting work.
Description: Water-borne ready-to-use filler
- 1.3 Identification of the company**
1.3.1 Supplier
Tikkurila Oy
- 1.3.2 Contact information:**
P.O.Box P.O.Box 53
Postcode and post office FI-01301 VANTAA
FINLAND
Telephone +358 9 857 71
Telefax +358 9 8577 6936
- 1.3.4 Responsible for the Safety Data Sheet:**
Tikkurila Oy, Product Safety, e-mail: productsafety@tikkurila.com
- 1.4 Emergency telephone number**
1.4.1 Telephone number, name and address
Tikkurila Oy, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

The product is not classified as dangerous.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Hazardous components		3.1.2	3.1.3	3.1.4
	CAS number	EINECS			
-	-	-	-	-	-

4. FIRST AID MEASURES

- 4.1 Additional advice**

- 4.2 Inhalation**

- 4.3 Skin contact**
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- 4.4 Eye contact**
Irrigate copiously with clean, fresh water for at least 10 minutes.
- 4.5 Ingestion**
Drink water or milk. Obtain medical attention, when necessary.

PRESTO Fillers LG, LH, LF, LV, J and LH PLUS

Date 21.4.2008

Previous date: 31.3.2008

5. FIRE-FIGHTING MEASURES

- 5.1 **Suitable extinguishing media**

- 5.2 **Extinguishing media which must not be used for safety reasons**

- 5.3 **Specific hazards**

6. ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions**

- 6.2 **Environmental precautions**
Do not allow to enter drains or water courses.
- 6.3 **Methods for cleaning up**
Gather residues into waste containers. Clean with a detergent and water.

7. HANDLING AND STORAGE

- 7.1 **Handling**

- 7.2 **Storage**
Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.2 **Exposure controls**
- 8.2.1 **Occupational exposure controls**
Provide adequate ventilation. Comply with the health and safety at work laws.
- 8.2.1.1 **Respiratory protection**
Use appropriate certified respirators (with dust filter P2) if ventilation is not sufficient during sanding.
- 8.2.1.2 **Hand protection**
Always wear protective gloves (e.g. nitrile rubber). Barrier creams may also help to protect the exposed areas of the skin.
- 8.2.1.3 **Eye protection**
Use safety eyewear, specially during sanding.
- 8.2.1.4 **Skin and body protection**
Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 **General Information (appearance, odour)**
Coloured paste
- 9.2 **Important Health Safety and Environmental Information**
- 9.2.1 **pH** about 9
- 9.2.2 **Boiling point/range** -
- 9.2.3 **Flash point** -
- 9.2.5 **Explosive properties**
- 9.2.5.1 **Lower explosion limit** -
- 9.2.5.2 **Upper explosion limit** -

PRESTO Fillers LG, LH, LF, LV, J and LH PLUS

Date 21.4.2008

Previous date: 31.3.2008

9.2.7	Vapour pressure	-
9.2.8	Relative density	0,8 - 1,3
9.2.9	Solubility	
9.2.9.1	Water solubility	Miscible

10. STABILITY AND REACTIVITY

10.1	Conditions to avoid	---
10.2	Materials to avoid	---
10.3	Hazardous decomposition products	Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

11.1	Acute toxicity	---
11.2	Primary irritation	---
11.3	Sensitisation	---
11.5	Human experience	11.5.1 Inhalation: Repeated or prolonged exposure to sanding dust may cause respiratory system irritation. 11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Splashes in the eyes and sanding dust may cause slight eye irritation. 11.5.3 Other effects ---

12. ECOLOGICAL INFORMATION

12.6	Other adverse effects	There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.
------	-----------------------	---

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 or 08 01 12 (waste paint and varnish).
13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1	UN No	-
14.2	Packing group	-
14.3	Land transport	
14.3.1	ADR/RID Class	not classified
14.4	Sea transport	
14.4.1	IMDG Class	not classified
14.5	Air transport	
14.5.1	ICAO/IATA Class	not classified

PRESTO Fillers LG, LH, LF, LV, J and LH PLUS

Date 21.4.2008

Previous date: 31.3.2008

15. REGULATORY INFORMATION**15.1 Information on the warning label****15.1.1 Letter code of the warning symbol and indications of danger for the preparation**

-

15.1.2 Names of the ingredients given on the warning label

-

15.1.3 R-phrase(s)

-

15.1.4 S-phrase(s)

-

16. OTHER INFORMATION**16.4 Additional information**

The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com

Signature

n1/ome