

ÄSSÄTEX Adhesive for Humid Rooms

Print Date: 10.10.2005

Previous date: 5.3.2004

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

- 1.1 Identification of the article**
- 1.1.1 Commercial Product Name**
ÄSSÄTEX Adhesive for Humid Rooms
- 1.1.2 Product code**
008 3262
- 1.2 Use of the Substance/Preparation**
- 1.2.1 Intended use**
Painting work
Description: A water-borne dispersion adhesive
- 1.3 Identification of the company**
- 1.3.1 Supplier**
Tikkurila Paints Oy
- 1.3.2 Contact information:**
- | | |
|---------------------------------|-----------------------------|
| P.O.Box | P.O. Box 53 |
| Postcode and post office | FIN-01301 VANTAA
FINLAND |
| Telephone | +358 9 857 731 |
| Telefax | +358 9 8577 6902 |
| Business ID | 1069501-0 |
- 1.4 Emergency telephone number**
- 1.4.1 Telephone number, name and address**
Tikkurila Oy, Environment and Safety: +358 9 857 71

2. COMPOSITION/INFORMATION ON INGREDIENTS

2.1	Hazardous components		2.1.2	2.1.3	2.1.4
	CAS number	EINECS	Chemical name of the substance	Concentration	Classification
-	-	-	-	-	-

3. HAZARDS IDENTIFICATION

The product is not classified as dangerous.

4. FIRST AID MEASURES

- 4.1 Additional advice**

- 4.2 Inhalation**

- 4.3 Skin contact**
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- 4.4 Eye contact**
Irrigate copiously with clean, fresh water for at least 10 minutes.
- 4.5 Ingestion**
If accidentally swallowed, drink water or milk. Obtain medical attention, when necessary.

5. FIRE-FIGHTING MEASURES

ÄSSÄTEX Adhesive for Humid Rooms

Print Date: 10.10.2005

Previous date: 5.3.2004

- 5.1 **Suitable extinguishing media**

- 5.2 **Extinguishing media which must not be used for safety reasons**

- 5.3 **Specific hazards**

6. ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions**

- 6.2 **Environmental precautions**
Do not allow to enter drains or water courses.
- 6.3 **Methods for cleaning up**
Contain and collect adhesive splashes. Clean with water.

7. HANDLING AND STORAGE

- 7.1 **Handling**
Avoid skin and eye contact.
- 7.2 **Storage**
Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.2 **Exposure controls**
- 8.2.1 **Occupational exposure controls**
Provide adequate ventilation. Comply with the health and safety at work laws. Kädet pestävä ennen taukoja ja työpäivän jälkeen. Syöminen ja juominen kielletty ainetta käsiteltäessä.
- 8.2.1.1 **Respiratory protection**

- 8.2.1.2 **Hand protection**
Always wear protective gloves (e.g. PVC). Chemical resistance at least 3 (EN 374). Barrier creams may also help to protect the exposed areas of the skin.
- 8.2.1.3 **Eye protection**
Use safety eyewear designed to protect against splashes of liquids.
- 8.2.1.4 **Skin and body protection**
Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 **General Information (appearance, odour)**
White dispersion
- 9.2 **Important Health Safety and Environmental Information**
- 9.2.1 **pH** appr. 5
- 9.2.2 **Boiling point/range** 100 °C (water)
- 9.2.3 **Flash point** -
- 9.2.5 **Explosive properties**
- 9.2.5.2 **Upper explosion limit** -
- 9.2.7 **Vapour pressure** -
- 9.2.8 **Relative density** 1,03
- 9.2.9 **Solubility**
- 9.2.9.1 **Water solubility** emulsifiable
- 9.2.11 **Viscosity** appr. 25 000 mPas (Brookfield RVT, 6/20 / 20 °C)

ÄSSÄTEX Adhesive for Humid Rooms

Print Date: 10.10.2005

Previous date: 5.3.2004

10. STABILITY AND REACTIVITY

- 10.1 Conditions to avoid**

- 10.2 Materials to avoid**

- 10.3 Hazardous decomposition products**
Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

- 11.1 Acute toxicity**

- 11.2 Primary irritation**

- 11.5 Human experience**
11.5.1 Inhalation: May cause irritation of mucous membranes of nose and throat.
11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Splashes in the eyes may cause slight irritation.
11.5.3 Other effects: ---

12. ECOLOGICAL INFORMATION

- 12.5 Other adverse effects**
There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 or 08 01 12 (waste paint and varnish).
13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

- | | |
|-----------------------------|----------------|
| 14.1 UN No | - |
| 14.2 Packing group | - |
| 14.3 Land transport | |
| 14.3.1 ADR/RID Class | not classified |
| 14.4 Sea transport | |
| 14.4.1 IMDG Class | not classified |

15. REGULATORY INFORMATION

- 15.1 Information on the warning label**
- 15.1.1 Letter code of the warning symbol and indications of danger for the preparation**
-
- 15.1.2 Names of the ingredients given on the warning label**
-
- 15.1.3 R-phrase(s)**
-
- 15.1.4 S-phrase(s)**
-

ÄSSÄTEX Adhesive for Humid Rooms

Print Date: 10.10.2005

Previous date: 5.3.2004

16. OTHER INFORMATION**16.4 Additional information available from:**

The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.fi

Signature

g1/akk