

IKKUNAKITTI (Linseed Oil Putty)

Date 12.11.2009

Previous date: 26.4.2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**1.1 Identification of the article**

1.1.1 Commercial Product Name
IKKUNAKITTI (Linseed Oil Putty)

1.1.2 Product code

001 6100

1.2 Use of the Substance/Preparation**1.2.1 Intended use**

Painting work.

Description: Water dilutable linseed oil putty

1.3 Identification of the company**1.3.1 Supplier**

Tikkurila Oy

1.3.2 Contact information:**P.O.Box**

P.O.Box 53

Postcode and post office

FI-01301 VANTAA

FINLAND

Telephone

+358 9 857 71

Telefax

+358 9 8577 6936

1.3.4 Responsible for the Safety Data Sheet:

Tikkurila Oy, Product Safety, e-mail: productsafety@tikkurila.com

1.4 Emergency telephone number**1.4.1 Telephone number, name and address**

Tikkurila Oy, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

The product is not classified as dangerous.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Hazardous components****3.1.1**

CAS number EINECS

3.1.2

Chemical name of the substance

3.1.3

Concentration

3.1.4

Classification

-

-

-

-

4. FIRST AID MEASURES**4.1 Additional advice**

4.2 Inhalation

4.3 Skin contact

Wash skin thoroughly with soap and water or use recognized skin cleanser.

4.4 Eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes.

4.5 Ingestion

Drink water or milk. Obtain medical attention, when necessary.

IKKUNAKITTI (Linseed Oil Putty)

Date 12.11.2009

Previous date: 26.4.2006

5. FIRE-FIGHTING MEASURES

- 5.1 **Suitable extinguishing media**

- 5.2 **Extinguishing media which must not be used for safety reasons**

- 5.3 **Specific hazards**

6. ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions**

- 6.2 **Environmental precautions**
Do not allow to enter drains or water courses.
- 6.3 **Methods for cleaning up**
Gather residues into waste containers. Clean with a detergent and water.

7. HANDLING AND STORAGE

- 7.1 **Handling**

- 7.2 **Storage**
Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.2 **Exposure controls**
- 8.2.1 **Occupational exposure controls**
Provide adequate ventilation. Comply with the health and safety at work laws.
- 8.2.1.1 **Respiratory protection**
Use appropriate certified respirators (with dust filter P2) if ventilation is not sufficient during sanding.
- 8.2.1.2 **Hand protection**
Always wear protective gloves (e.g. nitrile rubber). Barrier creams may also help to protect the exposed areas of the skin.
- 8.2.1.3 **Eye protection**
Use safety eyewear, specially during sanding.
- 8.2.1.4 **Skin and body protection**
Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 **General Information (appearance, odour)**
Värillinen, jähmeä massa
- 9.2 **Important Health Safety and Environmental Information**
- 9.2.2 **Boiling point/range** -
- 9.2.3 **Flash point** -
- 9.2.5 **Explosive properties**
- 9.2.5.1 **Lower explosion limit** -
- 9.2.5.2 **Upper explosion limit** -
- 9.2.7 **Vapour pressure** -

IKKUNAKITTI (Linseed Oil Putty)

Date 12.11.2009

Previous date: 26.4.2006

9.2.8	Relative density	2,10
9.2.9	Solubility	
9.2.9.1	Water solubility	Insoluble

10. STABILITY AND REACTIVITY

10.1	Conditions to avoid	---
10.2	Materials to avoid	---
10.3	Hazardous decomposition products	Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

11.1	Acute toxicity	---
11.2	Primary irritation	---
11.3	Sensitisation	---
11.5	Human experience	11.5.1 Inhalation: Repeated or prolonged exposure to the sanding dust may cause respiratory system irritation. 11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Sanding dust may cause slight eye irritation. 11.5.3 Other effects: ---

12. ECOLOGICAL INFORMATION

12.6	Other adverse effects	There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.
------	-----------------------	---

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 or 08 01 12 (waste paint and varnish).
13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1	UN No	-
14.2	Packing group	-
14.3	Land transport	
14.3.1	ADR/RID Class	not classified
14.4	Sea transport	
14.4.1	IMDG Class	not classified
14.5	Air transport	
14.5.1	ICAO/IATA Class	not classified

15. REGULATORY INFORMATION

IKKUNAKITTI (Linseed Oil Putty)

Date 12.11.2009

Previous date: 26.4.2006

-
- 15.1 Information on the warning label**
15.1.1 Letter code of the warning symbol and indications of danger for the preparation
15.1.2 Names of the ingredients given on the warning label
-
15.1.3 R-phrase(s)
-
15.1.4 S-phrase(s)
-

16. OTHER INFORMATION**16.4 Additional information**

The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com

Signature

n1/niear