

PINJA FLEX 30 (former AKVI FLEX 30)

Date 5.2.2009

Previous date: 18.9.2007

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Identification of the article**
1.1.1 Commercial Product Name
 PINJA FLEX 30 (former AKVI FLEX 30)
- 1.1.2 Product code**
 787 -series
- 1.2 Use of the Substance/Preparation**
1.2.1 Intended use
 Painting work.
 Description: A one-component water-borne acrylate paint.
- 1.3 Identification of the company**
1.3.1 Supplier
 Tikkurila Oyj
- 1.3.2 Contact information:**
P.O.Box P.O.Box 53
Postcode and post office FI-01301 VANTAA
 FINLAND
Telephone +358 9 857 71
Telefax +358 9 8577 6936
- 1.3.4 Responsible for the Safety Data Sheet:**
 Tikkurila Oy, Product Safety, e-mail: productsafety@tikkurila.com
- 1.4 Emergency telephone number**
1.4.1 Telephone number, name and address
 Tikkurila Oy, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

Irritant; Xi
 May cause sensitization by skin contact.
 Information on hazard labelling in section 15.1.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Hazardous components		3.1.2	3.1.3	3.1.4
3.1.1	CAS number	EINECS	Chemical name of the substance	Concentration	Classification
	26530-20-1	247-761-7	2-Octyl-2H-isothiazol-3-one	< 0,1 %	T, N; R22-23/24-34-43-50/53
	2634-33-5	220-120-9	1,2-Benzisothiazol-3(2H)-one	< 0,1 %	Xn; N R22-38-41-43-50
	55965-84-9	247-500-7/ 220-239-6	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	< 0,0030 %	T, N; R23/24/25-34-43-50/53
	34590-94-8	252-104-2	Dipropyleneglycol methylether	1 - 5 %	-
	64-17-5	200-578-6	Ethanol	0 - 2,5 %	F; R11
	112-34-5	203-961-6	Butyl diglycol	0 - 2,5 %	Xi; R36
	1336-21-6	215-647-6	Ammonia	0 - 0,2 %	C, N; R34-50

4. FIRST AID MEASURES

- 4.1 Additional advice**

- 4.2 Inhalation**

PINJA FLEX 30 (former AKVI FLEX 30)

Date 5.2.2009

Previous date: 18.9.2007

- 4.3 Skin contact**
Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleanser.
- 4.4 Eye contact**
Irrigate copiously with clean, fresh water for at least 10 minutes.
- 4.5 Ingestion**
If accidentally swallowed, drink water or milk. Obtain medical attention, when necessary.

5. FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media**

- 5.2 Extinguishing media which must not be used for safety reasons**

- 5.3 Specific hazards**

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions**
Avoid skin contact with the product.
- 6.2 Environmental precautions**
Do not allow to enter drains or water courses.
- 6.3 Methods for cleaning up**
Contain and collect spillage with absorbent materials, e.g. sand or vermiculite and place in a container for disposal according to local regulations. Clean with a detergent and water.

7. HANDLING AND STORAGE

- 7.1 Handling**
Good ventilation must be provided. Keep away from sources of ignition. Take precautionary measures against static discharges.
- 7.2 Storage**
Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 Exposure Limit Values**
- 8.1.1 Occupational exposure limit values**
- | | |
|-------------------------------|----------------|
| Dipropyleneglycol methylether | 100 ppm (8 h) |
| Ethanol | 1000 ppm (8 h) |
| Ammonia | 25 ppm (8 h) |
- 8.1.2 Information on limit values**
TLV-TWA = Threshold Limit Values - Time-weighted average / ACGIH 2008
- 8.2 Exposure controls**
- 8.2.1 Occupational exposure controls**
Provide adequate ventilation. Comply with the health and safety at work laws.
- 8.2.1.1 Respiratory protection**
If ventilation during spray-application is not sufficient, use respiratory protection with gas, vapour and dust filter AP.
- 8.2.1.2 Hand protection**
Always wear approved protective gloves (e.g. nitrile rubber) against chemicals. Barrier creams may also help to protect the exposed areas of the skin.
- 8.2.1.3 Eye protection**
During spray-application use safety eyewear designed to protect against splashes of liquids.

PINJA FLEX 30 (former AKVI FLEX 30)

Date 5.2.2009

Previous date: 18.9.2007

- 8.2.1.4 Skin and body protection**
Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 General Information (appearance, odour)**
Coloured, viscous liquid
- 9.2 Important Health Safety and Environmental Information**
- 9.2.3 Flash point** -
- 9.2.5 Explosive properties**
- 9.2.5.1 Lower explosion limit** -
- 9.2.5.2 Upper explosion limit** -
- 9.2.8 Relative density** 1,06 - 1,21
- 9.2.9 Solubility**
- 9.2.9.1 Water solubility** Soluble

10. STABILITY AND REACTIVITY

- 10.1 Conditions to avoid**

- 10.2 Materials to avoid**

- 10.3 Hazardous decomposition products**
Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

- 11.1 Acute toxicity**

- 11.2 Primary irritation**

- 11.3 Sensitisation**
Exposure by inhalation and skin contact may cause sensitization.
- 11.5 Human experience**
- 11.5.1 Inhalation: ---
- 11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Splashes in the eyes may cause slight irritation.
- 11.5.3 Other effects: ---

12. ECOLOGICAL INFORMATION

- 12.6 Other adverse effects**
There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 (waste paint and varnish containing organic solvents or other dangerous substances).
- 13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

PINJA FLEX 30 (former AKVI FLEX 30)

Date 5.2.2009

Previous date: 18.9.2007

14.1	UN No	-
14.2	Packing group	-
14.3	Land transport	
14.3.1	ADR/RID Class	not classified
14.4	Sea transport	
14.4.1	IMDG Class	not classified
14.5	Air transport	
14.5.1	ICAO/IATA Class	not classified

15. REGULATORY INFORMATION

15.1	Information on the warning label	
15.1.1	Letter code of the warning symbol and indications of danger for the preparation	
	Xi	Irritant
15.1.2	Names of the ingredients given on the warning label	
	2-Octyl-2H-isothiazol-3-one	
	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)	
	1,2-Benzisothiazol-3(2H)-one	
15.1.3	R-phrases(s)	
	R43	May cause sensitization by skin contact.
15.1.4	S-phrases(s)	
	S23v	Do not breathe spray.
	S24	Avoid contact with skin.
	S37	Wear suitable gloves.
	S51	Use only in well-ventilated areas.

16. OTHER INFORMATION

16.1	Full text of R-phrases referred to under sections 2 and 3	
	R11	Highly flammable.
	R36	Irritating to eyes.
	R43	May cause sensitization by skin contact.
	R22	Harmful if swallowed.
	R23/24	Toxic by inhalation and in contact with skin.
	R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
	R34	Causes burns.
	R50	Very toxic to aquatic organisms.
	R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
16.4	Additional information	
	The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.	
	Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com	
	Signature	g/ars