

PINJA PRO PRIMER

Date 3.3.2008

Previous date: 16.1.2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Identification of the article**
1.1.1 Commercial Product Name
 PINJA PRO PRIMER
- 1.1.2 Product code**
 243 -series
- 1.2 Use of the Substance/Preparation**
1.2.1 Intended use
 Painting work.
 Description: A water-borne alkyd primer.
- 1.3 Identification of the company**
1.3.1 Supplier
 Tikkurila Oyj
- 1.3.2 Contact information:**
P.O.Box P.O.Box 53
Postcode and post office FI-01301 VANTAA
 FINLAND
Telephone +358 9 857 71
Telefax +358 9 8577 6936
- 1.3.4 Responsible for the Safety Data Sheet:**
 Tikkurila Oy, Product Safety, e-mail: productsafety@tikkurila.com
- 1.4 Emergency telephone number**
1.4.1 Telephone number, name and address
 Tikkurila Oy, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

Irritant; Xi

May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information on hazard labelling in section 15.1.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Hazardous components		3.1.2 Chemical name of the substance	3.1.3 Concentration	3.1.4 Classification
	3.1.1 CAS number	EINECS			
	26530-20-1	247-761-7	2-Octyl-2H-isothiazol-3-one	< 0,2 %	T, N; R23/24-22-34-43-50/53
	96-29-7	202-496-6	Ethyl methyl ketoxime	< 0,2 %	Xn; R21-40-41-43
	1314-13-2	215-222-5	Zinc oxide	1 - 2,5 %	N; R50/53
	136-52-7	205-250-6	Cobalt octoate	< 0,2 %	Xn; R22-38-43

4. FIRST AID MEASURES

- 4.1 Additional advice**

- 4.2 Inhalation**

- 4.3 Skin contact**
 Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleanser.
- 4.4 Eye contact**
 Irrigate copiously with clean, fresh water for at least 10 minutes.

PINJA PRO PRIMER

Date 3.3.2008

Previous date: 16.1.2006

4.5 Ingestion

If accidentally swallowed, drink water or milk. Obtain medical attention, when necessary.

5. FIRE-FIGHTING MEASURES**5.1 Suitable extinguishing media**

5.2 Extinguishing media which must not be used for safety reasons

5.3 Specific hazards

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions**

Avoid skin contact with the product.

6.2 Environmental precautions

Do not allow to enter drains or water courses.

6.3 Methods for cleaning up

Contain and collect spillage with absorbent materials, e.g. sand or vermiculite and place in a container for disposal according to local regulations. Clean with a detergent and water.

7. HANDLING AND STORAGE**7.1 Handling**

Avoid skin and eye contact.

7.2 Storage

Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**8.1 Exposure Limit Values****8.1.1 Occupational exposure limit values**

Zinc oxide 2 mg/m³ (8 h)

8.1.2 Information on limit values

TLV-TWA = Threshold Limit Values - Time-weighted average / ACGIH 2007

8.2 Exposure controls**8.2.1 Occupational exposure controls**

Provide adequate ventilation. Comply with the health and safety at work laws.

8.2.1.1 Respiratory protection

Use appropriate certified respirators, with gas and vapour filter A, during sanding with dust filter P2, if ventilation is insufficient. During spray-application use respirators with gas, vapour and dust filter AP.

8.2.1.2 Hand protection

Always wear approved protective gloves (e.g. nitrile rubber) against chemicals. Barrier creams may also help to protect the exposed areas of the skin.

8.2.1.3 Eye protection

During spray-application use safety eyewear designed to protect against splashes of liquids.

8.2.1.4 Skin and body protection

Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 General Information (appearance, odour)**

Coloured, viscous liquid

PINJA PRO PRIMER

Date 3.3.2008

Previous date: 16.1.2006

9.2	Important Health Safety and Environmental Information	
9.2.2	Boiling point/range	-
9.2.3	Flash point	-
9.2.5	Explosive properties	
9.2.5.1	Lower explosion limit	-
9.2.5.2	Upper explosion limit	-
9.2.8	Relative density	1,06 - 1,24
9.2.9	Solubility	
9.2.9.1	Water solubility	Soluble
9.2.12	Vapour density	-

10. STABILITY AND REACTIVITY

- 10.1 Conditions to avoid**

- 10.2 Materials to avoid**

- 10.3 Hazardous decomposition products**
Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

- 11.1 Acute toxicity**

- 11.2 Primary irritation**

- 11.3 Sensitisation**
Exposure by inhalation and skin contact may cause sensitization.
- 11.5 Human experience**
11.5.1 Inhalation: ---
11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Splashes in the eyes may cause slight irritation.
11.5.3 Other effects: ---

12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity**
- 12.1.1 Aquatic toxicity**
Zinc oxide: EC50 = 0,17 mg/l, selenastrum capricornutum, 72 h; very toxic.
- 12.6 Other adverse effects**
There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 (waste paint and varnish containing organic solvents or other dangerous substances).
13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

- 14.1 UN No** -
- 14.2 Packing group** -

PINJA PRO PRIMER

Date 3.3.2008

Previous date: 16.1.2006

14.3	Land transport	
14.3.1	ADR/RID Class	not classified
14.4	Sea transport	
14.4.1	IMDG Class	not classified

15. REGULATORY INFORMATION

15.1	Information on the warning label	
15.1.1	Letter code of the warning symbol and indications of danger for the preparation	
	Xi	Irritant
15.1.2	Names of the ingredients given on the warning label	
	2-Octyl-2H-isothiazol-3-one	
	Zinc oxide	
15.1.3	R-phrase(s)	
	R43	May cause sensitization by skin contact.
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
15.1.4	S-phrase(s)	
	S23v	Do not breathe spray.
	S24	Avoid contact with skin.
	S29	Do not empty into drains.
	S37	Wear suitable gloves.
	S51	Use only in well-ventilated areas.

16. OTHER INFORMATION

16.1	Full text of R-phrases referred to under sections 2 and 3	
	R43	May cause sensitization by skin contact.
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R21	Harmful in contact with skin.
	R22	Harmful if swallowed.
	R23/24	Toxic by inhalation and in contact with skin.
	R34	Causes burns.
	R38	Irritating to skin.
	R40	Limited evidence of a carcinogenic effect.
	R41	Risk of serious damage to eyes.
	R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
16.4	Additional information	
	The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.	
	Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com	
	Signature	g/akk