

AKVILAC TOPAS 40, 20 (former AKVI TOPAS 40, 20, 10)

Date 2.1.2009

Previous date: 20.8.2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Identification of the article**
- 1.1.1 Commercial Product Name**
AKVILAC TOPAS 40, 20 (former AKVI TOPAS 40, 20, 10)
- 1.1.2 Product code**
005 3868, 005 3869 (former 005 3868, 005 3869, 005 3876)
- 1.2 Use of the Substance/Preparation**
- 1.2.1 Intended use**
Painting work
Description: Waterbased polyurethane-acrylate lacquer
- 1.3 Identification of the company**
- 1.3.1 Supplier**
Tikkurila Oyj
- 1.3.2 Contact information:**
- P.O.Box** P.O.Box 53
Postcode and post office FI-01301 VANTAA
FINLAND
- Telephone** +358 9 857 71
Telefax +358 9 8577 6936
- 1.3.4 Responsible for the Safety Data Sheet:**
Tikkurila Oy, Product Safety, e-mail: productsafety@tikkurila.com
- 1.4 Emergency telephone number**
- 1.4.1 Telephone number, name and address**
Tikkurila Oy, Environment and Safety: +358 9 857 71

2. HAZARDS IDENTIFICATION

The product is not classified as dangerous.
Information on hazard labelling in section 15.1.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Hazardous components		3.1.2 Chemical name of the substance	3.1.3 Concentration	3.1.4 Classification
	3.1.1 CAS number	EINECS			
	34590-94-8	252-104-2	Dipropyleneglycol methylether	1 - 5 %	-
	111-76-2	203-905-0	Butyl glycol	0 - 5 %	Xn; R20/21/22-36/38
	5131-66-8	225-878-4	3-Butoxy-2-propanol	0 - 5 %	Xi; R36/38

4. FIRST AID MEASURES

- 4.1 Additional advice**

- 4.2 Inhalation**

- 4.3 Skin contact**
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- 4.4 Eye contact**
Irrigate copiously with clean, fresh water for at least 10 minutes.
- 4.5 Ingestion**
If accidentally swallowed, drink water or milk. Obtain medical attention, when necessary.

AKVILAC TOPAS 40, 20 (former AKVI TOPAS 40, 20, 10)

Date 2.1.2009

Previous date: 20.8.2008

5. FIRE-FIGHTING MEASURES

- 5.1 **Suitable extinguishing media**

- 5.2 **Extinguishing media which must not be used for safety reasons**

- 5.3 **Specific hazards**

6. ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions**

- 6.2 **Environmental precautions**
Do not allow to enter drains or water courses.
- 6.3 **Methods for cleaning up**
Contain and collect spillage with absorbent materials, e.g. sand or vermiculite and place in a container for disposal according to local regulations. Clean with a detergent and water.

7. HANDLING AND STORAGE

- 7.1 **Handling**
Avoid skin and eye contact.
- 7.2 **Storage**
Keep containers tightly closed. Store in a dry place. Do not allow to freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1 **Exposure Limit Values**
- 8.1.1 **Occupational exposure limit values**
Dipropyleneglycol methylether 100 ppm (8 h)
Butyl glycol 20 ppm (8 h)
- 8.1.2 **Information on limit values**
TLV-TWA = Threshold Limit Values - Time-weighted average / ACGIH 2008
- 8.2 **Exposure controls**
- 8.2.1 **Occupational exposure controls**
During spray-application provide adequate ventilation. Comply with the health and safety at work laws.
- 8.2.1.1 **Respiratory protection**
If ventilation during spray-application is not sufficient, use respiratory protection with gas, vapour and dust filter AP.
- 8.2.1.2 **Hand protection**
Always wear protective gloves (e.g. nitrile rubber). Barrier creams may also help to protect the exposed areas of the skin.
- 8.2.1.3 **Eye protection**
During spray-application use safety eyewear designed to protect against splashes of liquids.
- 8.2.1.4 **Skin and body protection**
Use suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 **General Information (appearance, odour)**
Viscous liquid
- 9.2 **Important Health Safety and Environmental Information**
- 9.2.2 **Boiling point/range** -

AKVILAC TOPAS 40, 20 (former AKVI TOPAS 40, 20, 10)

Date 2.1.2009

Previous date: 20.8.2008

9.2.3	Flash point	-
9.2.5	Explosive properties	-
9.2.5.1	Lower explosion limit	-
9.2.5.2	Upper explosion limit	-
9.2.7	Vapour pressure	-
9.2.8	Relative density	1,0 - 1,4
9.2.9	Solubility	-
9.2.9.1	Water solubility	Soluble

10. STABILITY AND REACTIVITY

- 10.1 **Conditions to avoid**

- 10.2 **Materials to avoid**

- 10.3 **Hazardous decomposition products**
Hazardous decomposition products may produce, when exposed to high temperatures.

11. TOXICOLOGICAL INFORMATION

- 11.1 **Acute toxicity**

- 11.2 **Primary irritation**

- 11.3 **Sensitisation**

- 11.5 **Human experience**
11.5.1 Inhalation: ---
11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat from the skin resulting in contact dermatitis. Splashes in the eyes may cause slight irritation.
11.5.3 Other effects: ---

12. ECOLOGICAL INFORMATION

- 12.6 **Other adverse effects**
There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

- 13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 or 08 01 12 (waste paint and varnish).
13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION

- | | | |
|--------|-----------------|----------------|
| 14.1 | UN No | - |
| 14.2 | Packing group | - |
| 14.3 | Land transport | - |
| 14.3.1 | ADR/RID Class | not classified |
| 14.4 | Sea transport | - |
| 14.4.1 | IMDG Class | not classified |
| 14.5 | Air transport | - |
| 14.5.1 | ICAO/IATA Class | not classified |

AKVILAC TOPAS 40, 20 (former AKVI TOPAS 40, 20, 10)

Date 2.1.2009

Previous date: 20.8.2008

15. REGULATORY INFORMATION**15.1 Information on the warning label****15.1.1 Letter code of the warning symbol and indications of danger for the preparation****15.1.2 Names of the ingredients given on the warning label**

-

15.1.3 R-phrase(s)

-

15.1.4 S-phrase(s)

-

15.1.5 Special regulations on certain preparations

Safety data sheet available for professional user on request.

16. OTHER INFORMATION**16.1 Full text of R-phrases referred to under sections 2 and 3**

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

16.4 Additional information

The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

Additional information available from: Tikkurila Oy, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com

Signature

g/ars